


WALL STREET DENTAL LAB LLC

406 Wall Street
East Dubuque, IL 61025
563-293-2851
info@wallstreetdentallab.com

Patient: _____
Shade: _____
Due Date: _____

- Zirconia crown/bridge**
- Implant Restoration**
 - Custom titanium abutment
 - Screw hole in crown? *Y or N*
 - Return crown cemented to abutment? *Y or N*
 - Gold-hue anodizing? *Y or N*
 - Approve abutment design before manufacturing? *Y or N*
 - "ti" base
 - Angulated screw channel? *Y or N*
 - Return crown cemented to abutment? *Y or N*
 - Gold-hue anodizing? *Y or N*
 - All-on-X (please call prior)
 - PMMA temp? *Y or N, with or without pink gingiva?*
- Wax-up/smile design**
 - Printed model? *Y or N*
 - Copyplast matrix? *Y or N*
- Custom impression tray**



Additional details (please include scan bodies used and implant reference #, if applicable): _____

Practice _____ Phone _____
 Doctor _____ Signature _____
 License _____ Date _____

Thank you for your business!

Unless specified, multi-unit, limited clearance, and implant restorations will be made with slightly less translucent, but stronger, 4Y zirconia. If options are not chosen, a default of "no" will be made. Dess® scan bodies for implant restorations are recommended for maximum flexibility – use of other scan bodies may limit abutments choices to OEM only.